

Companion Document

276/277

# 276/277 Health Care Claim Status Request/Response

## - Real-time

This companion document is for informational purposes only to describe certain aspects and expectations regarding the transaction and is not a complete guide. The details contained in this document are supplemental and should be used in conjunction with the Accredited Standards Committee (ASC) X12 Standards for Electronic Data Interchange (EDI) Technical Report Type 3 (TR3) as published by the Washington Publishing Company.

Section 1 — 276/277 Health Care Claim Status Request/Response: basic instructions

Section 2 — 276/277 Health Care Claim Status Request/Response: enveloping

Section 3 — 276/277 Health Care Claim Status Request/Response: charts for situational rules

Please contact E-Solutions with any questions.

1-800-470-9630

E-Solutions.support@anthem.com

#### Section 1 — basic instructions

#### 1.1 Council for Affordable Quality Healthcare (CAQH)

CAQH is a nonprofit alliance of health plans and trade associations focused on achievable, concrete initiatives designed to strengthen the nation's health care system and simplify health care administration. The CAQH Committee on Operating Rules for Information Exchange (CORE) Phases I & II operating rules have been adopted by the Department of Health and Human Services as necessary business rules and guidelines for the electronic exchange of information. These operating rules are incorporated into this companion document.

#### 1.2 Business purpose

The purpose of generating a 276 status request is to obtain the current status of the claim within the adjudication process. This transaction includes information that is necessary for Anthem Blue Cross and Blue Shield Healthcare Solutions (Anthem) to identify the specific claim in question. The following primary identifiers must be supplied:

- 1. Patient's first name, in its entirety (10 characters) Loop 2100D, NM104 (if subscriber is the patient); Loop 2100E, NM104 (if dependent is the patient)
- 2. Billing provider NPI number submitted on the original claim Loop 2100C, NM109
- 3. Member identification number Loop 2100D, NM109; Loop 2100E, NM109 (if dependent has a unique identifier)
- 4. Claim submitter trace number Loop 2200D, TRN02; Loop 2200E, TRN02
- 5. Claim number Loop 2200D, REF02 (if subscriber is the patient); Loop 2200E, REF02 (if dependent is the patient)
- 6. Date(s) of service Loop 2200D, DTP03 (if subscriber is the patient); Loop 2200E, DTP03 (if dependent is the patient)
- 7. Claim submitted charges Loop 2200D, AMT02 (if subscriber is the patient); Loop 2200E, AMT02 (if dependent is the patient)

#### 1.3 System hours of availability

As a CORE-certified health plan, Anthem follows the guidelines as set forth under Section 1 of the CAQH CORE System Availability Rule. Regularly scheduled system downtime and/or maintenance will be reserved for Sundays and the following holidays:

- New Year's Day (01/01/CCYY)
- Memorial Day (last Monday in May)
- Independence Day (07/04/CCYY)
- Labor Day (first Monday in September)
- Thanksgiving Day (fourth Thursday in November)
- Christmas Day (12/25/CCYY)

#### 1.4 HIPAA-compliant codes

When entering codes in the 276 claim status request, carefully follow the 276/277 TR3. Use HIPAA-compliant codes from current versions of the sources listed in Appendix A: External Code Sources of

the TR3. Anthem will accept all HIPAA standard codes. However, acceptance of these codes or modifiers will not alter covered benefits or current payment policies, guidelines or processes.

#### 1.5 Claims without dollar amounts

A 277 response on a member-payable claim, rejected claim or approved claim without dollar amounts will contain a zero dollar amount in the data element — STC05 claim payment amount (Loops 2200D, 2200E) and SVC03 line item paid amount (Loops 2220D, 2220E). Also, in Loops 2220D and 2220E, the following data elements will not be included:

- STC08 check issue or electronic funds transfer (EFT) effective date
- STC09 check or EFT trace number

#### 1.6 Delimiters

Anthem only accepts the following delimiters as defined by the American National Standard Institute (ANSI) standards of the basic character set:

- Data element separator, asterisk (\*)
- Repetition separator (ISA11), caret (^)
- Subelement separator, colon (:)
- Segment terminator, tilde (~)

Note: Since the above values are the only delimiters supported, the use of any other values will yield a file level rejection. Using values from the extended character set is not permitted without a mutual written agreement between Anthem and trading partner.

#### 1.7 Communication protocol specifications

- Hypertext Transfer Protocol Secure (HTTPS) connectivity
  - o HTTPS connectivity is available through the Internet.
  - o HTTPS setup steps: Contact E-Solutions to begin the process of getting set up for HTTPS.
    - 1. E-Solutions will collect information about your organization.
    - 2. You will be assigned a system and gateway user ID and password.
    - 3. You will perform the necessary testing and then be promoted to production.
  - O Web address: Below is the HTTPS uniform resource locator (URL) address where an embedded 276 message may be sent using the HTTPS protocol for a 277 response.
    - Real-time URL: https://www.edirealtime.com/edirealtimeph2/edirealtime (single inquiry only)
- **HTTPS message format** Input parameters (see table, HTTPS and SOAP simple object access protocol metadata) for real-time needs to be submitted on the 276 request data in order to receive a 277 response message.
- **SOAP message format** SOAP uses the same field descriptions as HTTPS but in SOAP format. You must request Web services description language (WSDL) files for SOAP processing.
  - o SOAP URL: https://www.hipaaiaswebservice.com/wsedirealtime/wsedirealtime

HTTPS and SOAP Metadata (Real-Time)							
Field Name	Description	Format	Example				
PayloadType	Specifies the type of payload included within a request.	Text	X12_276_Request_0 05010X212				
ProcessingMode	Indicates Batch or Real-Time processing mode.	Text	RealTime				
PayloadID	Identifies the request submitted.	Alphanumeric, may contain hyphen					
EncType	Form Data Type	multipart/form-data					
TimeStamp	Time and Date specifying when a message is created and sent to a receiver.	Universal Time (UTC) http://www.w3.org/TR/xmls chema11-2/#date/Time	2010-02- 22T15:15:52Z				
UserName	Is used to log into the account. A password will be associated with the User which allows a request to complete. Username is assigned.	6-12 characters; not case sensitive					
Password	Pairs with the <i>User</i> field to allow access to the eligibility request system. Password is assigned.	6-12 characters; case sensitive					
SenderID	Represents the Sender ID (ISA06) from the X12 file being submitted.	Alphanumeric					
ReceiverID	Represents the Receiver ID (ISA08) from the X12 file being submitted.	Alphanumeric	040				
CORERuleVersion	Represents the CORE Rule version; can be used to maintain backward compatibility when parsing/processing messages.	Version number	2.1.0				
Payload	Contains the file with the X12 request data.	HIPAA X12 Compliant					

#### **HTTPS** error messages

The following are the different message responses and error notifications that may be received when submitting 276 requests.

- **HTTP 202 ok** When authorization is passed and interface is successful with eligibility systems, HTTP 202 ok status code and the 277 response X12 data content will be returned by the application.
- **Authorization errors** If the username and/or password included in the request are not valid, HTTP 403 forbidden error response with no data will be returned by the application.
- **Server errors** When the CAQH connectivity application is not able to process a real-time request due to interface failures or eligibility system unavailability, etc., standard 5xx series error such as HTTP 500 internal server error or HTTP 503 service will be returned by the application. In this scenario, the 276 request submitter will need to resubmit the request since the application process for 277 message reply failed.

#### 1.8 Uppercase letters

Anthem requests that all data be entered in uppercase letters only.

#### 1.9 Adjusted and voided claims

A 277 response will include the final image of an adjusted or voided claim but not the original claim.

#### 1.10 Similar claims found

When the search criteria submitted (member ID, member first and last name, dates of service, provider NPI, and total charges) does not result in a match on the claim number (reference 1K) but does find a series of other claims, a response will be generated with the similar claims. Loop 2200D subscriber level or Loop 2200E dependent level will be returned with the claim information that matches the other search criteria.

#### 1.11 Acknowledgements and/or reports

After submitting a 276 transaction, you will receive only one of the following responses:

- A TA1 (X12) functional acknowledgement report when the EDI envelope cannot be processed;
- 999 when the submitted 276 inquiry does not pass level 2 HIPAA validation; or
- A 277 response is returned in all other cases to indicate the claim status.

#### Sample TA1 file

```
ISA*00* *00* *ZZ*RECEIVER *ZZ*SENDER *110531*1508*^*00501*000000001*0*T*:~

TA1*723010535*061024*1006*R*023~

TA1*723010535*061024*1006*R*001~

TA1*723010535*061024*1006*R*021~

TA1*723010535*061024*1006*R*009~

TA1*723010535*061024*1006*R*024~

IEA*0*00000001~
```

#### Sample 999 file

```
ISA*00* *00* *ZZ*RECEIVER *ZZ*SENDER *110726*0702*^*00501*000003072*0*T*:~

GS*FA*RECEIVER*SENDER*20110726*070241*30720001*X*005010X231A1~

ST*999*0001*005010X231A1~

AK1*HR*71300027*005010X212~

AK2*276*071300027*005010X212~

IK3*NM1*4*2100*8~

IK4*8*66*I6*AD~

IK5*R*5~

AK9*R*1*1*0~

SE*8*0001~

GE*1*1~

IEA*1*000000001~
```

#### Sample TA1 (864) file

```
ISA*00*
             *00*
                        *ZZ*RECEIVER
                                          *ZZ*SENDER
                                                        *110726*0700*^*00501*823923824*0*T*:~
GS*TX*RECEIVER*SENDER*20110726*07000920*98705996*X*005010~
ST*864*98705996*005010~
BMG*08*TA1 REPORT*03~
MIT*98705996*TA1 REPORT~
MSG*
                                  ENTERPRISE CLEARINGHOUSE
                                                                                       *SS~
MSG*
                                  TRADING PARTNER TA1 REPORT
                                                                                       *SS~
MSG* TRADING PARTNER ID #: SENDER
                                                                                       *SS~
MSG* REPORT RUNTIME: 07/26/11 07:00
                                                                                       *SS~
MSG* FILE REJECT TIME: 07/26/11 07:00
                                                                                       *SS~
MSG*
MSG* ----- START OF REPORT -----
                                                                                       -*SS~
MSG*
                                                                                       *SS~
MSG*
                                                                                       *88~
MSG* SOURCE FILE NAME TRANSACTION RECEIPT DATE ISA CONTROL # GS RECEIVER ID GS CONTROL # REJECT REASON
                                                                                       *SS~
MSG* -----
MSG* HR0726065503001
                             07/31/2003 823923824
                                                  RECEIVER
                                                                 98705996
                                                                           Envelope Control
                      *SS~
MSG* -----*SS~
SE*37*98705996~
GE*1*98705996~
IEA*1*823923824~
```

Sample level 2 (864) error report

ISA\*00\* \*00\* \*ZZ\*SENDER

Sam	ıpıe ievei ∠ (864) eri ************************************	ror report *zz*sender	*ZZ*REC	ETVER *110	1522*0753*11*0040	1*000059379*0*T* ~	
	**SENDER*RECEIVER*201				322 0733 0 0040	1 000033373 0 1	
ST*86	54*0001~						
	)8*REPORT*03~						
	156595*HR LEVEL 2 RE	PORT~					
MSG* MSG*				CLEARINGHOUSE ATUS REPORT			*SS~ *SS~
MSG*			TEAET 5 21	AIUS REPORT			^55~ *SS~
MSG*							*SS~
MSG*	SENDER ID #: S	ENDER	TRANSACTION:	276		•	*ss~
		ENDER NAME	TEST/PROD:	T			*SS~
		R###########	RECEIPT DATE:			ONTROL #: 710970400	
MSG*	GS RECEIVER ID: R	ECEIVER	REPORT RUNTIM	E: 08/22/11 07:5	02:46 GS CO	NTROL #: 710970400	*SS~ *SS~
MSG*							*SS~
MSG*			START OF PROV	IDER			*SS~
MSG*						, i	*ss~
MSG*							*SS~
		#####	OM COMMING	#. 007000400	•		*SS~ *SS~
	PROVIDER ID #: PROVIDER NAME: PROV	IDER NAME	ST CONTROL	#: 097000400	•		^55~ *SS~
MSG*	INOVIDER NAME: INOV	IDEN WHILE					*SS~
MSG*						*	*ss~
	STATUS PATIENT NAME			TE OF			*SS~
MSG*	CODE REFERENCE NO	l .	SE	RVICE	CHARGE		*SS~
MSG*_ MSG*							*SS~ *SS~
MSG*	PASS PATIENT , NAM	E QCB#####	#### 20	110127-20110127	\$191.43	1013114150500065HSP	
MSG*	•				·	*	*SS~
MSG*							*SS~
MSG*			PROVIDER SUMM	ARY			*SS~ *SS~
MSG* MSG*							^55~ *SS~
MSG*		CLAIM STATUS COU	NT C	HARGES	PERCENTA		*SS~
MSG*						,	*SS~
MSG*							*SS~
MSG* MSG*	PASSED	1	خ	191.43	100.00		*SS~ *SS~
MSG*	FASSED	1	Ÿ	191.43	100.00		*SS~
MSG*	FAILED	0	\$	0.00	0.00		*SS~
MSG*							*SS~
MSG*	TOTAL SUBMITTED	1	\$	191.43			*SS~
MSG* MSG*							*SS~ *SS~
MSG*			END OF PROVID	ER			*SS~
MSG*							*SS~
MSG*			START OF REPO	RT TOTALS		1	
MSG*	REPORT TOTALS:						*SS~ *SS~
MSG*	MICKI TOTALO.						*SS~
MSG*		CLAIM STATUS CO	UNT	CHARGES	PERCENT		*SS~
MSG*							*SS~
MSG*	Dagger	1		\$101 42	100 000		*SS~
MSG*	PASSED	1		\$191.43	100.00%		*SS~ *SS~
MSG*	FAILED	0		\$0.00	0.00%		*SS~
MSG*						•	*SS~
MSG*	TOTAL SUBMITTE	D 1		\$191.43			*SS~
MSG* MSG*	m1.	e EDI Gateway dail	v processina -	ompletos at Eloo	DM FCT acab bar		*SS~ *SS~
MSG*		cess after 5PM EST					*SS~
MSG*						_	*SS~
MSG*							*SS~
MSG*	FREE MEMBER ELIGI	BILITY INFORMATION			Y WEB PORTAL AT	<b>-</b>	*SS~
MSG* MSG*		R	EGISTER AND AC	CESS TODAY!			*SS~ *SS~
MSG*		PLEAS	E CONTACT YOUR	LOCAL EDI HELPD	ESK AT		*SS~
MSG*				x-xxxx			*SS~
MSG*		WITH	ANY QUESTIONS	REGARDING THIS	REPORT		*SS~
MSG*						•	*SS~

MSG*	*SS~
MSG*	*ss~
MSG* END OF REPORT	*SS~
MSG*	*SS~
SE*619*0001~	
GE*1*593790001~	
IEA*1*000059379~	

#### 1.12 Standardized claims responses

For the following situations, a standardized status code (STC) response will be generated. Note that additional claim status codes may provide future specificity in STC10 and STC11.

STC Response
A4^35
E0^33
E0^97
F2^33
F2^27
F2^108^IL
P1^27
P1^108^IL
F2^317
P3^317
F2^317
P1^317
F2^52
F2^57
F2^286
P3^52
P3^57
P3^286
F2^52
F2^57
F2^286
P1^52
P1^57
P1^286

\*NOTE: These responses are standard for all lines of business. They are not the only codes returned for all situations, other claim status codes are returned.

### Section 2 — enveloping

EDI envelopes control and track communications between you and Anthem. One envelope may contain many transaction sets grouped into the following:

- Interchange control header (ISA)
- Functional group header (GS)
- Interchange control trailer (IEA)
- Functional group trailer (GE)

276 Health Care Claim Status Request—Envelope Specific to Anthem (TR3, Appendix C)								
	nterchange		GS—Functional Group		GE—Functional		IEA—Interchange Control	
Contro	l Header		Header		Group Trailer		Trailer	
ISA01	00	GS01	HR	GE01	refer to TR3	IEA01	refer to TR3	
ISA02	refer to TR3	GS02	SENDER ID	GE02	refer to TR3	IEA02	refer to TR3	
ISA03	00		EDI assigned					
ISA04	refer to TR3	Left	-justified followed by					
ISA05	ZZ	l	no zeroes or spaces					
ISA06	SENDER ID							
	EDI assigned	GS03	265					
	Left-justified	GS04	refer to TR3					
foll	lowed by spaces	GS05	refer to TR3					
		GS06	refer to TR3					
ISA07	ISA07 ZZ		X					
ISA08	265	GS08	005010X212					
	Left-justified			<u>-</u>				
foll	lowed by spaces							
ISA09	refer to TR3							
ISA10	refer to TR3							
ISA11	^ (5E)	*Trans	actions must be sul	bmitted to	the Plan for the s	ate in		
ISA12								
ISA13	refer to TR3	providers not within our service areas must not be sent.						
ISA14	refer to TR3							
ISA15	refer to TR3							
ISA16	: (3A)							
	. ,							

IEA—Interchange Control

refer to TR3

refer to TR3

**Trailer** 

IEA01

IEA02

#### 277 Health Care Claim Status Response—Envelope Specific to Anthem (TR3, Appendix C) **GE—Functional GS**—Functional Group ISA—Interchange Header Control Header **Group Trailer** ISA01 GS01 HN **GE01** refer to TR3 00 ISA02 GS02 GE02 refer to TR3 10 spaces 265 **RECEIVER ID** ISA03 00 GS03 ISA04 10 spaces GS04 refer to TR3 GS05 ISA05 ZZ refer to TR3 ISA06 GS06 refer to TR3 265 ISA07 ZZ **GS07** X 005010X212 GS08 ISA08 RECEIVER ID ISA09 refer to TR3 ISA10 refer to TR3

ISA11

ISA12

ISA13

ISA14

ISA15

^ (5E)

00501

0

ISA16 : (3A)

refer to TR3

refer to TR3

### Section 3 — charts for situational rules

Listed below are loops, segments and data elements that, if submitted, will greatly improve your chances of a successful response per our implementation of the situational rules in the 276/277 TR3.

		276 Health C	are Claim Status	Request		
TR3	Segment	Reference Designator(s)	Value	Definitions and Notes Specific to Anthem		
P.36	ST Transaction Set Header	Convention Ref	005010X212	005010X212 - Health Care Claim Status Request		
P.37		ning of Hierarchical Transa	ction - Refer to TR3			
•		nation Source Level				
P.39		ation Source Level - Refer	to TR3			
	D 2100A—Payer					
P.41	NM1 Payer Name	NM103 Name Last or Organization Name	(Information Source Last or Org Name)	ANTHEM BLUE CROSS BLUE SHIELD		
		NM108 ID Code Qualifier	PI	PI - Payor Identification		
		NM109 Identification Code	265	265 - represents Anthem NV as receiver		
Loop I	D 2000B—Inforr	nation Receiver Level				
P.43	HL Inform	ation Receiver Level - Refe	er to TR3			
P.45	NM1 Inform	ation Receiver Name - Ref	er to TR3			
Loop I	D 2000C—Servi	ce Provider Level				
P.47	HL Service	e Provider Level - Refer to	TR3			
Loop I	D 2100C—Provi	der Name				
P.49	NM1 Provid	er Name - Refer to TR3				
Loop I	D 2000D—Subs	criber Level				
P.52	HL Subsc	riber Level - Refer to TR3				
P.54	DMG Subsc	riber Demographic Informa	tion - Refer to TR3			
Loop I	D 2100D—Subs	criber Name				
P.66	NM1 Subscriber	NM108 ID Code Qualifier	MI	MI - Member Identification Number		
	Name	NM109 Identification Code	(Subscriber Identifier)	Identification number as it appears on the payers database.		
		Format I	Examples	Explanation		
		XXX <del>#########</del> XXXX <del>#########</del> XXX <del>###</del> X##### R######### J#####################		Alphanumeric subscriber identification as it appears on the front of the ID card and must include the alphanumeric prefix as submitted.		
Loop I		Status Tracking Number				
P.58	TRN Claim Status Tracking Number - Refer to TR3					
P.59	REF Payer Claim Control Number - Refer to TR3					
P.60	REF Institut	ional Bill Type Identification	n - Refer to TR3			
P.61	REF Applica	ation or Location System Id	dentifier - Refer to TR3			

P.62	REF	Group Number - Refer to TR3		
P.63	REF	Patient Control Number - Refer to TR3		
P.64	REF	Pharmacy Prescription Number - Refer to TR3		
P.65	REF	Claim ID Number for Clearinghouses and Other Transmission Intermediaries - Refer to TR3		
P.66	AMT	Claim Submitted Charges - Refer to TR3		
P.67	DTP	Claim Service Date - Refer to TR3		
Loop	ID 2220	D—Service Line Information		
P.69	SVC	Service Line Information - Refer to TR3		
P.73	REF	Service Line Item Identification - Refer to TR3		
P.74	DTP	Service Line Date - Refer to TR3		
Loop	ID 2000	E—Dependent Level		
P.75	HL	Dependent Level - Refer to TR3		
P.77	DMG	Dependent Demographic Information - Refer to TR3		
Loop	ID 2100	E—Dependent Name		
P.79	NM1	Dependent Name - Refer to TR3		
Loop	ID 2200	E—Claim Status Tracking Number		
P.81	TRN	Claim Status Tracking Number - Refer to TR3		
P.82	REF	Payer Claim Control Number - Refer to TR3		
P.83	REF	Institutional Bill Type Identification - Refer to TR3		
P.84	REF	Application or Location System Identifier - Refer to TR3		
P.85	REF	Group Number - Refer to TR3		
P.86	REF	Patient Control Number - Refer to TR3		
P.87	REF	Pharmacy Prescription Number - Refer to TR3		
P.88	REF	Claim ID Number for Clearinghouses and Other Transmission Intermediaries - Refer to TR3		
P.89	AMT	Claim Submitted Charges - Refer to TR3		
P.90	DTP	Claim Service Date - Refer to TR3		
Loop	ID 2220	E—Service Line Information		
P.92	SVC	Service Line Information - Refer to TR3		
P.96	REF	Service Line Item Identification - Refer to TR3		
P.97	DTP	Service Line Date - Refer to TR3		
P.98	SE	Transaction Set Trailer - Refer to TR3		

			277 Health Ca	re Claim Stat	tus Response	
TR3	Segment		Reference Designator(s)	Value	Definitions and Notes Specific to Anthem	
P.106	ST		ST03	005010X212	005010X212 - Health Care Claim Status	
1.100	Transac Set Hea		Implementation Convention Ref	000010X212	Response	
P.107	BHT	Beginr	ning of Hierarchical Transa	ction - Refer to TR3	}	
Loop II	2000A-	-Inform	ation Source Level			
P.109	HL		ation Source Level - Refer	to TR3		
	2100A-	-Payer				
P.111	NM1		NM108	PI	PI - Payor Identification	
	Payer N	Name	ID Code Qualifier	005	OCC	
			NM109 Identification Code	265	265 - represents Anthem NV as receiver	
P.113	PER		Contact Information - Refe	er to TR3		
Loop II	2000B-		ation Receiver Level			
P.116	HL		ation Receiver Level - Ref	er to TR3		
	2100B-	-Inform	ation Receiver Name			
P.118	NM1		ation Receiver Name - Re			
	2200B-		ation Receiver Trace Ide			
P.120	TRN		Information Receiver Trace Identifier - Refer to TR3			
P.121	STC		ation Receiver Status Info	rmation - Refer to Ti	R3	
			e Provider Level			
P.124		HL Service Provider Level - Refer to TR3				
	2100C-					
P.126	NM1		er Name - Refer to TR3			
			er of Service Trace Ident			
P.129	TRN	Provider of Service Trace Identifier - Refer to TR3				
P.130	STC					
			riber Level			
P.133	HL		riber Level - Refer to TR3			
			riber Name			
P.135	NM1		riber Name - Refer to TR3			
			Status Tracking Number	5.6.4.750		
P.137	TRN		Status Tracking Number -			
P.138	STC		Level Status Information -			
P.149	REF	•	Claim Control Number - R			
P.150	REF	Institutional Bill Type Identification - Refer to TR3				
P.151	REF		t Control Number - Refer t			
P.152	REF	Pharmacy Prescription Number - Refer to TR3				
P.153	REF		er Identifier - Refer to TR3		comission Intermediaries - Defects TDC	
P.154	REF	Claim ID Number for Clearinghouses and Other Transmission Intermediaries - Refer to TR3				
	P.155 DTP Claim Service Date - Refer to TR3					
P.157	P.157 SVC Service Line Information - Refer to TR3					
P.157 P.161	STC					
101	316	Service Line Status Information - Refer to TR3				

P.171	REF	Service Line Item Identification - Refer to TR3				
P.172	DTP	Service Line Date - Refer to TR3				
Loop II	D 2000I	E—Dependent Level				
P.173	HL	Dependent Level - Refer to TR3				
Loop II	D 2100	E—Dependent Name				
P.175	NM1	Dependent Name - Refer to TR3				
Loop II	D 2200I	E—Claim Status Tracking Number				
P.177	TRN	Claim Status Tracking Number - Refer to TR3				
P.178	STC	Claim Level Status Information - Refer to TR3				
P.189	REF	Payer Claim Control Number - Refer to TR3				
P.190	REF	Institutional Bill Type Identification - Refer to TR3				
P.191	REF	Patient Control Number - Refer to TR3				
P.192	REF	Pharmacy Prescription Number - Refer to TR3				
P.193	REF	Voucher Identifier - Refer to TR3				
P.194	REF	Claim ID Number for Clearinghouses and Other Transmission Intermediaries - Refer to TR3				
P.195	DTP	Claim Service Date - Refer to TR3				
Loop II	D 2220I	E—Service Line Information				
P.197	SVC	Service Line Information - Refer to TR3				
P.201	STC	Service Line Status Information - Refer to TR3				
P.211	REF	Service Line Item Identification - Refer to TR3				
P.212	DTP	Service Line Date - Refer to TR3				
P.213	SE	Transaction Set Trailer - Refer to TR3				